

BIBLIOGRAPHY

- ALLEN RG, PEREIRA LS, RAES D, SMITH M. (1999) Crop evapotranspiration. FAO Irrigation & Drainage Paper 54.
- AMEGLIO, T., ARCHER, P., DAUDET, F.A., FERREIRA, M.I.(1993). Comparaison de trois méthodes de mesure de la transpiration de jeunes arbres. *Agronomie* 13:751-759.
- ARCON, S.A. (1996). *Geophysics* 61, 1653-1663.
- BALEK J., CERMAK J., KUCERA J., PALOUS M., PRAX, A. (1985). In: *Proc. 4th Internat. Hydrology Symp. On Multivariate Analyses of Hydrol. Processes*. Colorado State Univ. USA.
- BARKER, R. (1992). A simple algorithm for electrical imaging of the subsurface, *First Break*, 10 (2), 53-62.
- BARTHOLIC, JF, NAMKEN LN & WEIGAND, C. (1972). *Combination equations used to calculate evaporation*. USDA booklet.
- BERBIGIER, P.; BONNEFOND, J.M.; LOUSTAU, D.; FERREIRA, M.I.; DAVID, J.S.; PACHECO, C.A.; PEREIRA, J.S. (1996). Transpiration of a 64 year-old Maritime Pine stand in Portugal measured by an eddy correlation technique. *Oecologia* 107:43-52.
- BOEGH E.; SOEGAARD H.; HANAN N.; KABAT P.; LESCH L. (1999). *Remote Sens. Environ.* 69: 224-230.
- CAMPBELL, J.B. (1996) *Introduction to remote sensing*. Taylor & Francis, London.
- CERMAK J., and PRAX, A. (1999). Water balance of the floodplain forests in southern Moravia considering rooted and root-free compartments under contrasting water supply and its ecological consequences. *Tree Physiology*.
- CERMAK J., JIMENEZ, M. S., GONZALES-RODRIGUEZ, A.M., MORALES, D. (1999). Laurel forests in Tenerife, Canary Islands: Efficiency of water conducting system in *Laurus azorica* trees. *Trees*.
- CERMAK, J. (1998). Leaf distribution in large trees and stands of the floodplain forests in southern Moravia. *Tree Physiology* 18:727-737.

CERMAK, J., RIGUZZI, F. and CEULEMNS, R. (1998). Scaling up from the individual trees to the stand level in Scots pine: 1. Needle distribution, overall crown and root geometry. *Ann.Sci.For.*55: 63-88.

CERMAK, J., CIENCIALA, E., KUCERA, J., LINDROTH, A., BEDNAROVA, E. (1995). Individual variation of sap flow rate in large pine and spruce trees and stand transpiration: A pilot study at the central NOPEX site. *J. of Hydrol.*168:17-27.

CERMAK, J., MATYSSEK, R., KUCERA, J. (1993). Rapid response of large, drought stressed beech trees to irrigation. *Tree Physiology*, 12: 281-290.

CERMAK, J., KUCERA, J. (1990). Scaling up transpiration data between trees, stands and watersheds. *Silva Carelica* 15:101-20.

CERMAK, J. (1995) Methods for studies of water transport in trees, especially the stem heat balance and scaling. In: *Proc. 32th Course in Applied Ecology*, University of Padua.

CERMAK, J. and NADEZHDINA, N. (1998). Sapwood as the scaling parameter - defining according to xylem water content or radial pattern of sap flow? *Ann.Sci.For.*55:509-521.

CESCATTI, A. (1997). Modelling the radiative transfer in discontinuous canopies of asymmetric crowns. *Ecological Modelling* 101:263-274, 275-284.

CHAVES, M.M. (1991). *Journal of Experimental Botany* 42: 1-16.

COHEN, Y., KELLIHER, F.M., BLACK,T.A. (1985) *Can.J.For.Res.*15:422-428.

CRACKNELL A.P. and XUE Y. (1996) Estimation of ground heat flux using AVHRR data and an advanced thermal inertia model (SoA-TI model) *Int. J. of Remote Sensing* 17, 431 - 261.

CRACKNELL A.P. and XUE Y. (1996) Dynamic aspects of surface temperature from remotely-sensed data using advanced inertia model *Int. J. of Remote Sensing*, 17, 2517 - 2532.

DAILY, W. & OWEN, E., (1991), Cross-borehole resistivity tomography, *Geophysics*, 56, 1228-1235.

DANIELS, J.J. & BROWER, J., (1998), Side-looking underground radar (SLUR): Physical modelling and case history, *Geophysics*, 63, 1925-1932.

DAUDET, F.A.; SILVESTRE, J.; FERREIRA, M.I., VALANCOGNE, C. (1998) Leaf boundary layer conductance in a vineyard in Portugal. *Agric. and For. Meteorol.* 89 (88):255-267.

DAVID, T.; FERREIRA, M.I.; DAVID, J.S.; PEREIRA, J.S. (1997) Transpiration on an adult *Eucalyptus globulus* plantation during a spring-summer period, in central Portugal. *Oecologia* 110:153-159.

DAVID, J.S., HENRIQUES, M.O., DAVID, T. S., TOMÉ, J. e LEDGER, D.C. 1994. Clearcutting effects on streamflow in coppiced *Eucalyptus globulus* stands in Portugal. *Journal of Hydrology*, 162: 143-154.

De LORENZI F., RANA G. (1999). Sap flow transpiration measurements in a table grape vineyard growing in Southern Italy. *Acta Horticultae: 3rd International Symposium on Irrigation on Horticultural Crops*, Estoril - Lisbon, Portugal. (submitted).

D'URSO G., MENENTI M., SANTINI A. (1996). Remote sensing and simulation modeling for on-demand irrigation system management. Proceedings Intern. Workshop ICID-FAO on "Irrigation Scheduling from Theory to Practice", Backgr. Paper no. 16, Theme V

EDWARDS, L.S., (1977). A modified pseudosection for resistivity and induced - polarization, *Geophysics*, 42, 1020-1036.

FERREIRA, M.I., KATERJI, N.(1992). Is stomatal control in a tomato crop controlled by soil or atmosphere? *Oecologia* 92:104-107.

FERREIRA, M. I.; VALANCOGNE, C.; DAVID, T; BERBIGIER, P; LOUSTAU, L.; DAVID, J.S.; PEREIRA, J. S. (1997). Evapotranspiration in several woody species of central Portugal. In (Hocevar, A.; Edt.) Proceed. 14th International Congress of Biometeorology, (Sept 1996, Ljubljana, Slovenia), Vol. 2(2):53-60.

FERREIRA, M.I.; VALANCOGNE, C.; MICHAELSEN; J. PACHECO, C. A.; AMEGLIO, T.; DAUDET, F-A.(1997) Water and energy balance and water stress indicators in a *Prunus persica* orchard, in central Portugal. Proceed. 2nd Int. Symp. on Irrigation of Hort. Crops, *Acta Hort.*: 449 (2):379-384.

FERREIRA, M.I.; VALANCOGNE, C. (1997) Experimental study of a stress coefficient: application on a simple model for irrigation scheduling and daily evapotranspiration estimation. In: (Farkas, I, ed) *Proc. 2nd Intern. Symp. on Mathematical Modelling and Simulation in Agricultural and Bio-Industries* (May 1997, Budapest, Hungary).

FRANCA G.B. and CRACKNELL A.P. (1994) Retrieval of land and sea surface temperature using NOAA-11 AVHRR data in north-eastern Brazil' *Int. J. of Remote Sensing* **15**, 1695 - 1712.

FUCHS, M. (1990) *Theoret. and Appl. Climatology* 42: 253-261.

GASH, J.H.C., VALENTE, F. e DAVID, J.S. (1999). Estimates and measurements of evaporation from wet, sparse pine forest in Portugal. *Agricultural and Forest Meteorology*, **94**: 149-158.

GOEBEL, B., MICHAELSEN, J., DANKWARDT, E., HAGREY, S. A., MEYER, C, PETZOLD, G., STOLTE, C. & THIERBACH, R. (1993) Geophysikalische Methode zur Erfassung von Wasserverteilungen und Wassertransportvorgängen. In: *Böden, Mitteilgn. Deuts. Bodenkundl. Gesellschaft*, 72, 111-114.

GRANIER, A. (1987). *Tree Physiology* 3:309-320.

GREEUW, G., DE FEIJTER, J.W. and KATHAGE, A.F. (1992) Field and Laboratory Tests on Line Scatterers, GPR'92, Proceedings of the *Fourth International Conference on Ground Penetrating Radar*, Rovaniemi, Finland, June 8-13, 1992, pp. 119-124.

GUCCI R., MASSAI R., CASANO S., GRAVANO E., LUCCHESINI M. (1997). The effect of drought on gas exchange and water potential of seven Mediterranean woody species. *Impacts of Global Change on Tree Physiology and Forest Ecosystems*, Wageningen, 26/11/1996, 225-321.

GUCCI R., MASSAI R., CASANO S., MAZZOLENI S. (1999). Seasonal changes in the water relations of Mediterranean co-occurring woody species. *Plant Biosystems* 133:117-128.

GUCCI R., MASSAI R., CASANO S., COSTAGLI G. (1999). The effect of leaf age on CO₂ assimilation and stomatal conductance of field-grown olive trees. *Acta Horticulturae* 474:289-292.

GUENTHER, M. and KATHAGE, A.F. (1994). The Geophysical Investigation of Drilling Obstacles for Microtunnelling Projects by Means of GPR, GPR'94, *Proceedings of the Fifth International Conference on Ground Penetrating Radar*, Kitchener, Ontario, Canada, June 12-16, 1994, Vol.3, pp. 1151-1165.

HAGREY, S. A. (1992). Waste site modelling using a combination of electromagnetic induction and resistivity sounding measurements, *Environ. Technol.* 13, 275-280.

HAGREY, S. A., (1994) Electric study of fracture anisotropy at Falkenberg, Germany. *Geophysics*, 59, 881-888.

HAGREY, S. A.; STRUPP, A., GEYIK, N. & STÜMPEL, H. (1995) Kartierung von Kontaminationen im Grundwasser mit Widerstandsmessungen. *Mitteilg. Deuts. Geophys. Gesellschaft (DGG)*, 3, 3-10.

HAGREY, S. A. & MICHAELSEN, J., (1999). Resistivity and percolation study of preferential flow in vadose zone at Bokhorst, Germany. *Geophysics*, 64, 746-753.

HAGREY, S. A., SCHUBERT-KLEMPNAUER, T, WACHSMUTH, D., MICHAELSEN, J. & MEISSNER, R. (1999). Preferential flow, first results of a full scale flow model, *Geophys. J. Int.*, 138: 643-654.

HAGREY , S. A. & MÜLLER, C. (2000). GPR-study of pore water content and salinity in sand, *Geophys. Prosp.*, 48: 63-85.

HAGREY, S. A., MEISSNER, R. & WIDMOSER, P., (1999) Präferenzielle Fliesswege – Ein Gemeinschaftsprojekt von Geophysik und Wasserwirtschaft an der Universität Kiel, *Wasser & Boden*.

HRUSKA, J., CERMAK, J., SUSTEK, S. (1999). Mapping of tree root systems by means of the ground penetrating radar. *Tree Physiology* 19:125-130.

HUNDERTMARK W. & WIDMOSER, P. (1996) Effects of artificial land drainage on the drain discharge in the south of Germany; *Proceedings 6th Irrigation and Drainage Workshop on Drainage and the Environment*, ICID, Ljubljana, Slovenia, April 21 – 29, p 1-10.

HINCKLEY, T.M., et al. (1993): Water flux in a hybrid poplar stand. *Tree Physiology* 14, 1005-1018.

JARVIS, P.G. and McNAUGHTON, K.J. (1986) In: *Advances in Ecological Research*, 15 (Mac Fadyen, A.; Ford, E.D., eds). Academic Press, London, 1-50.

JONES, H.G. (1992) *Plants and Microclimate*. 2nd Edition. Cambridge University Press, 428pp.

JONES, H.G., TARDIEU, F. (1998) Modelling water relations of horticultural crops: a review. *Scientia Horticulturae* **74**, 21-45.

JONES, H.G., AIKMAN, D, McBURNEY, TA. (1997). Improvements to infra-red thermometry for irrigation scheduling. *Acta Horticulturae*, **449**, 259-266.

JONES, H.G. (1999) Use of infrared thermometry for estimation of stomatal conductance in irrigation scheduling. *Agricultural and Forest Meteorology* **95**, 139-149.

JONES, H.G. (1999) Use of thermography for quantitative studies of spatial and temporal variation of stomatal conductance over leaf surfaces. *Plant, Cell & Environment* **22**, 1043-1055.

JONES, H.G. and CASA, R. The use of the VIFIS (Variable Interference Filter Imaging Spectrometer) to obtain information on vegetation properties using multiangular and multispectral data. *Remote Sensing Reviews (submitted)*.

KÄHLER, S., MEISSNER, R. & STÜMPEL, H. (1985) Radiation and receiving pattern of shear and compressional waves as a function of Poisson's ratio; *Geophys. Prosp.* 31: 421-435.

KATERJI, N., FERREIRA, M.I.; MASTRORILLI, M., LOSAVIO, N. (1990). A simple equation to calculate crop evapotranspiration: results of several years of experimentation. *Acta Horticulturae* 278:477-490.

KATHAGE, A. (1991) Anwendung geophysikalischer Methoden zur Erkundung ehemaliger Betriebsgelaende, gwf Gas Erdgas 132 Nr. 1, pp. 26-30.

KATHAGE, A. and POHLSCHMIDT, R. (1991) Investigation of the Underground Soil and Pipe Structure for Trenchless Pipe Installation, 3R international, 30 Heft 9, September, pp. 506-510.

KATHAGE, A.F. (1992) A Challenge: GPR in Advance of Horizontal Drilling, GPR'92, *Proceedings of the Fourth International Conference on Ground Penetrating Radar*, Rovaniemi, Finland, June 8-13, 1992, pp. 119-124.

KATHAGE, A.F. (1998) The Development of a Multi -Polarisation GPR for Mapping the Geological Conditions and Subsurface Utilities in Advance of Pipelaying, Proceedings of the International Gas Research Conference, Nov. 1998, San Diego, USA.

KATHAGE, A.F., FORMANSKY, T. (1999) Georadartechnik und ihre Einsatzmöglichkeiten, Proceedings of the GAT'99, DVGW, Erfurt.

KIRSCH, R. & RABELL, W. (1998) Seismische Verfahren in der Umweltgeophysik. In: *Umweltgeophysik*, (ed. M. Beblo), Ernst & Sohn, Berlin.

KLEMES V. (1999). Keeping techniques, methods, and models in perspective, *Journal of Water resources Planning and Management* 1999: 181-185.

KLINGBEIL, R. & HAGREY, S. A. (1994) Kontinuierliche vertikale elektrische Sondierungen (CVES) für die Kartierung von Kontaminationsfahnen im Grundwasser, 2.DGG-Seminar, Umweltgeophysik, Neustadt/Weinstraße, 23.2.-26.2.1993. *Mitteilg. Deuts. Geophys. Gesellschaft*, Sonderband II, 83-86.

KRAMER, P. J. (1988). *Plant, Cell and Environment* 11: 565-568.

LI, Y.-D., RABELL, W. & WANG, R. (1994) Investigation pf permeable fracture zones by tube wave analysis, *Geophys. J. Int.*, 116, 739-753.

LI, F.Q., LYONS,T.J. (1999) *J. Appl. Metreorol.* 38.

LI, Y. & OLDENBURG, D.W., 1994. Inversion of 3-D DC resistivity data ...*Geophys. J. Int.*, 116, 527-537.

LOKE, M.H. & BARKER, R.D., 1996., Least squares deconvolution of apparent resistivity pseudosections, *Geophysics*, 60, 1682-1690, 1644-54.

LOUSTAU, D., BERBIGIER, P., ROUMAGNAC, P., PACHECO, C.A., DAVID, J.S., FERREIRA, M.I.; PEREIRA, J.S. e TAVARES, R. (1996) Transpiration of a 64 year-old Maritime Pine stand in Portugal: 1- Seasonal course of water flux. *Oecologia* 107:33-42.

MASSAI R., GUCCI R. (1997). Transpiration and water relations in three peach x almond hybrid rootstocks. *Acta Horticulturae*, 449: 99-106.

MEISSNER, R. (1953) Der Einfluss von Luftdruckschwankungen auf den Grundwasserstand; *Z. f. Geophysik*, 53:161-180.

MENENTI M., AZZALI S., D' URSOG. (1996). Remote sensing, GIS and hydrological modelling for irrigation management. In L.S. Pereira et al. (Ed.): *Sustainability of Irrigated Agriculture*. NATO-ASI Series E: Vol.312, Kluwer Acad. Pub., Dordrecht (Paesi Bassi); 453-472

MICHAELSEN J., KAMRA, S.K., WICHTMANN, W. & WIDMOSER, P., (1998) Preferential water and solute movement along interface of soil horizons in a tile drained field; *Proc. 1st International Specialised Conference on Water Quality and its Management*, 2-6 March New Delhi, India.

MICHAELSEN, J.; SILVESTRE, J. FERREIRA, M.I. (1999). The influence of the soil water balance on the water fluxes in the SPA continuum. Field studies in a vineyard at Santarém, Portugal. Proc. 1st Workshop on Water Relations of Grapevines Eds E.H.Ruhl, J. Schmid. *Acta Hort.* 493: 205-212.

MORAN, M.S., JACKSON, R.D., (1991). Assessing the spatial distribution of evapotranspiration using remotely sensed inputs. *J. Environm. Qual.* 20: 725-737.

MORAN, MS, CLARKE, TR, INOUE, Y. & VIDAL, A. (1994). *Remote Sensing Environment* 49: 246-263.

MORAN, MS *et al.* (1996). *Agric. & Forest Meteorol.* 80:87-109.

NADEZHDINA, N., CERMAK, J., NADEZHDINA, V. (1998). Heat field deformation method for sap flow measurements. Proc. 4th. International Workshop on Measuring Sap Flow in Intact Plants. Zidlochovice, Czech Republic, Oct.3-5,1998. 72-92 pp. IUFRO Publications. Publishing house of Mendel Univ.Brno.

NADEZHDINA, N., and CERMAK, J. (1998). "The technique and instrumentation for estimation the sap flow rate in plants" Patent pending (PV-1587-98). (U.S.Patent and Trademark Rec.No.69055, 1997).

NADEZHDINA, N. (1999). Sap flow index as an indicator of plant water status. *Tree Physiology* 19:885-891.

NADEZHDINA, N. & CERMAK, J. (1999). Responses of sap flow rate along tree stem and coarse root radii to changes of water supply. *Plant and Soil* 12:1-12.

NADEZHDINA, N., CERMAK, J. (1997). Automatic control unit for irrigation systems based on sensing the plant water status. *An.Inst.Sup.Agronom.*, 46:149-157.

NADEZHDINA, N.E., SERGEEV, V.F. (1994). A method for automatical control of ligneous plant refreshing-moistening irrigations and a device for its realizing (in Russ.). Application No.94025554/13(024931) for Patent Russian Fed.from 22.08.97.Priority 22 July 1994.

O`CONNELL P.E., TODINI E. (1996). Modelling of rainfall, flow and mass transport in hydrological systems: an overview, *Journal of Hydrology* 175: 3-16.

PEREIRA, J.M.C., TOMÉ, M., CARREIRAS, J.M.B., TOMÉ, J.A., PEREIRA, J.S., DAVID, J.S. e FABIÃO, A.M.D. (1997). Leaf area estimation from tree allometrics in *Eucalyptus globulus* plantations. *Canadian Journal of Forest Research*, 27: 166-173.

PITACCO A., GALLINARO N., (1996). Micrometeorological assessment of sensitivity of canopy resistance to vapour pressure deficit in a Mediterranean oak forest. *Annales des Sciences Forestieres* 53:513-520.

PITACCO A., GALLINARO N., GIULIVO C., (1993). Evaluation of actual evapotranspiration of a *Quercus ilex* L. stand by the Bowen Ratio-Energy Budget method, *Vegetatio* 99-100:163-168.

PRICE J.C., (1992). Estimating Leaf Area Index from remotely sensed data. Proc. IGARSS ' 92, vol.1, 15001502.

RITSEMA, C.J., DEKKER, L.W., HENDRICKS, M.H. & HAMMINGA, W., (1993). Preferential flow mechanism in a water repellent soil, *Water Resources Research*, 29, 2183-2193.

ROBERTS, R.L. & DANIELS, J.J., (1997). Modeling near-field GPR in three dimensions using the FDTD method, *Geophysics*, 62, 1114-1126.

RO滕BERG, E. and JONES, H.G. A perspective on the magnitude of long-wave radiation exchanges between vegetation and the atmosphere. *Global Change Biology*

RUBIN, Y., HUBBARD, S.S., WILSON, A. & CUSHEY, M.A., 1999, in: *The handbook of groundwater engineering*, (ed. J.W. Delleur), CRC Press, Springer, Chapter 10, 1-68.

SAKURATANI, T. (1981) A heat balance method for measuring water flux in the stem of intact plants. *J.Agric.Met.*, 37(1):9-17.

SANTINI, A. (1992). Modelling water dynamics in the soil-plant-atmosphere system for irrigation problems. *Excerpta*, 6: 133-166.

SANTINI, A., ROMANO, N. (1994). A simulation model for irrigation water management. Proceedings of the IV International Congress on Desert Development "Sustainable Development for Our Common Future" (M. Anaya-Garduno, M.A. Pascual-Moncayo and R. Zarate-Zarate, eds.), México City, 25-30 July 1993, 1: 332-339.

SILVESTRE, J. FERREIRA, M.I.; VALANCOGNE, C. (1999). Evapotranspiration and water relations from a vineyard in Central Portugal during Spring-Summer periods. Proc. 1st Workshop on Water Relations of Grapevines Eds E.H.Ruhl, J. Schmid. *Acta Hort.* 493: 213-218.

SPITZER, K. (1995). A3-d finite-difference algorithm for dc resistivity modelling using conjugate gradient methods, *Geophys. J. Int.*, 123, 903-914.

STANGHELLINI C., De LORENZI F. (1994). A comparison of soil- and canopy temperature-based methods for the early detection of water stress in a simulated patch of pasture. *Irrigation Science*, 14:141-146.

VALANCOGNE, C.; AMEGLIO T.; FERREIRA, M.I.; COHEN, M.; ARCHER, P.; DAYAU, S.; DAUDET, F-A. (1996) Relations between relative transpiration and predawn leaf water potential in different fruit trees species. *Acta Hort.* 449 (2): 423-429.

VALENTE, F., DAVID, J.S. e GASH, J.H.C. (1997). Modelling interception loss for two sparse eucalypt and pine forests in central Portugal using reformulated Rutter and Gash analytical models. *Journal of Hydrology*, 190: 141-162.

VAN BAKEL P. J. T. (1986). A systematic approach to improve the planning, design and operation of regional surface water management systems: a case study. Report 13, Institute for Land and Water Management Inst. (ICW), Wageningen, the Netherlands, 118 pp.

VAN GENUCHTEN, M. Th., LEIJ F.J., LUND, L.J. (1992) *Proc. International Workshop on Indirect methods for estimating the hydraulic properties of unsaturated soils*, U.S. Salinity Lab. October 1989.

VOGT, R., FEIGENWINTER, C., PAW U, K. T. and PITACCO, A. (1997): Intercomparison of ultrasonic anemometers. Preprints of the *12th Symposium of Boundary Layers and Turbulence*, Vancouver, Canada. Am. Met. Soc., 354-355.

VOS, W. & MEEKES, H. (1999). Trends in European cultural landscape development: perspectives for a sustainable future, *Landscape and Urban Planning* 46: 3-14.

WIDMOSER P. (2001). Irrigation and Drainage, Ch. 10, In: *Handbook of Water Resources Management*. Blackwell Verlag, Berlin, 120 p, (in German).

WUTHRICH, M. (1996) *Theor. appl.climatology* 53: 69-78. Thermal infrared and radar for soil moisture; 48, 63-85.

XIONG, Z. & TRIPP, A.C., (1997). 3-D electromagnetic modelling for near-surface targets using integral equations, *Geophysics*, 62, 1097-1106.

XU, T. & McMECHAN, G.A., (1997), *Geophysics*, 62, 403-414.

XUE Y. and CRACKNELL A.P. (1995) Operational bi-angle approach to retrieve the Earth surface Albedo from AVHRR data in the visible band. *Int. J. of Remote Sensing*, 16, 417 - 429.

XUE Y. and CRACKNELL A.P. (1996) ' The Earth' s surface temperature: derivation from satellite data and prediction from ATI models' in Proceedings of the Scottish Universities Summer School in Physics, Dundee, August — September 1994' edited by N.E. Fancey, I.D. Gardiner and R.A. Vaughan (Bristol: Institute of Physics), pp. 209 — 240

